

# WHITE FUSED ALUMINUM OXIDE



**WFA** - Excellent Abrasive Grain Used For Grinding, Blasting, Polishing, Lapping.

## Chemical Analysis

%

Al <sub>2</sub> O <sub>3</sub>	99.0
Na <sub>2</sub> O	0.23
SiO <sub>2</sub>	0.06
Fe <sub>2</sub> O <sub>3</sub>	0.06

## Physical Data

Shape	Angular
Color	White
Specific Gavity g/cm <sup>3</sup>	3.95
Crytal Form	Alpha Alumina
Hardness Mohs	10.0

## HS Code

2818109000

## Particle Sizes

FEPA	Average(mm)	FEPA	Average(mm)
220	0.05	46	0.36
180	0.06	36	0.50
150	0.08	30	0.60
120	0.10	24	0.70
100	0.13	20	1.00
90	0.15	16	1.20
80	0.18	14	1.40
70	0.21	12	1.70
60	0.26	10	2.00
54	0.30	8	2.40

## Packing

25kg/bag (54 bags) in 1.35MT big bag.

# SEPPE TECHNOLOGIES

---

Believe In Good Materials!

*White Fused Alumina is kind of electro-corundum, which produced by controlled melting of alumina in an electric arc furnace. Its iron-free, ultra purity and extreme hardness make it as excellent materials in sandblasting, precision casting, abrasive and refractory.*

## Contact Us

Mobile

+86 185 3023 9533

Website

[www.seppe.cn](http://www.seppe.cn)

Phone

+86 373 380 6139

Email

[Info@seppe.cn](mailto:Info@seppe.cn)

More Details, Ask SEPPE Now!